Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: ProSpec CR Concrete Resurfacer

Product Code: 65510461 (50 lb)

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Various.

Use:

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address:	H.B. Fuller Construction Products Inc. 1105 S. Frontenac Street Aurora, IL 60504
Telephone Number:	Phone: 1-800-552-6225

1.4 EMERGENCY TELEPHONE NUMBER

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Date of Preparation:

December 21, 2012 Version #: 1.0

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class

Acute toxicity 4 (Oral) Skin irritation 2 Serious eye damage 1 Skin sensitization 1 Carcinogenicity 1A Reproductive toxicity 1B Specific target organ toxicity - Repeated exposure 1

2.2 LABEL ELEMENTS

Hazard Pictogram:

Signal Word: Hazard Statement:

Danger

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

Prevention:	Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust.
Response:	If swallowed: Immediately call a poison center/doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.
Storage:	Store locked up.
Disposal:	Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 ADDITIONAL INFORMATION

Hazards not otherwise	
classified:	Not applicable.

41 % of the mixture consists of ingredient(s) of unknown acute toxicity.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	UN #	H / F/ R / *	CAS No	Wt. %
Silica, crystalline, quartz	Not available.	Not available.	14808-60-7	40 - 70
Cement, alumina, chemicals	Not available.	Not available.	65997-16-2	10 - 30
Portland cement	Not available.	1/0/0	65997-15-1	1 - 5
Fiberglass	Not available.	Not available.	65997-17-3	1 - 5
Calcium hydroxide	UN1759	3/0/0	1305-62-0	1 - 5
Lithium carbonate	Not available.	Not available.	554-13-2	0.1 - 1

The exact percentage (concentration) of chemicals has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

* Per NOM-018-STPS-2000

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
Skin:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

Inhalation:

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.	
4.2 MOST IMPORTANT SYMPT	OMS AND EFFECTS, BOTH ACUTE AND DELAYED	
Eye:	Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Skin:	Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.	
Inhalation:	May cause respiratory tract irritation.	
Ingestion:	Harmful if swallowed. May cause stomach distress, nausea or vomiting.	
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED		
Note to Physicians:	Symptoms may not appear immediately.	
Specific Treatments:	In case of accident or if you feel unwell, seek medical advice	

vannenter	In case of accident of it you reel article, seek medical adv
	immediately (show the label or SDS where possible).

Section 5: FIRE-FIGHTING MEASURES

5.1 FLAMMABILITY

Flammability:	Not flammable by WHMIS/OSHA criteria.
5.2 EXTINGUISHING MEDIA	
Suitable Extinguishing Media:	Treat for surrounding material.

Unsuitable Extinguishing Media: Not available.

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment:	Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for Cleaning-Up:	Vacuum or sweep material and place in a disposal container.
	Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling:	Avoid contact with skin and eyes. Do not swallow. Good housekeeping is important to prevent accumulation of dust. Avoid generating and breathing dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking. (See section 8)		
General Hygiene Advice:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.		
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES			
Storage:	Keep out of the reach of children. Store in dust-tight, dry, labeled containers. Keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water		

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

sprinklers. (See section 10)

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits			
Ingredient	Ingredient OSHA-PEL		
	((10 mg/m ³)/(%SiO ₂ +2) TWA (resp)) ((30 mg/m ³)/(%SiO ₂ +2) TWA (total))		
Silica, crystalline, quartz	((250)/(%SiO ₂ +5) mppcf TWA (resp))	0.025 mg/m³	
Cement, alumina,			
chemicals	Not available.	Not available.	
		1 mg/m ³ (no asbestos and <1%	
Portland cement	15 mg/m ³ (total); 5 mg/m ³ (resp)	crystalline silica, respirable fraction)	
Fiberglass	15 mg/m ³ (total)	10 mg/m ³ (total)	
Calcium hydroxide	15 mg/m ³ (total); 5 mg/m ³ (resp)	5 mg/m ³	
Lithium carbonate	Not available.	Not available.	

8.2 EXPOSURE CONTROLS

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

8.3 INDIVIDUAL PROTECTIVE MEASSURES

Personal Protective Equipment:

Eye/Face Protection: Wear approved eye (properly fitted dust- or splash-proof chemical safety goggles) / face (face shield) protection.

Skin Protection:		
Hand Protect	tion:	Wear suitable waterproof gloves.
Body Protec	tion:	Wear suitable waterproof protective clothing.
Respiratory Protection:	A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).	
General Health and Safety Measures:	pr	andle according to established industrial hygiene and safety actices. Do not eat, smoke or drink where material is handled, occessed or stored. Wash hands carefully before eating or smoking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Powder.
Color:	Not available.
Odor:	Not available.
Odor Threshold:	Not available.
Physical State:	Solid.
pH:	10 - 12
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	Not available.
Flash Point:	Not available.
Evaporation Rate:	Not available.
Flammability:	Not Flammable.
Lower Flammability/Explosive Limit:	Not available.
Upper Flammability/Explosive Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Relative Density/Specific Gravity:	Not available.
Solubility:	Not available.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	Not available.
Percent Volatile, wt. %:	Not applicable.
VOC content, wt. %:	0%, Not applicable; 0 wt, Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions. Keep dry in storage.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Incompatible materials. Moisture.

10.5 INCOMPATIBLE MATERIALS

None known.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, skin absorption, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

- **Eye:** Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- **Skin:** Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
- Ingestion: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

Acute Toxicity:

Ingredient	IDLH	LC50	LD50
	Ca [25 mg/m ³		
Silica, crystalline,	(cristobalite, tridymite)		
quartz	50 mg/m ³ (quartz, tripoli)]	Not available.	Oral 500 mg/kg, rat
Cement, alumina,			
chemicals	Not available.	Not available.	Not available.
Portland cement	5000 mg/m ³	Not available.	Not available.
Fiberglass	Not available.	Not available.	Not available.
Calcium hydroxide	Not available.	Not available.	Oral 7340 mg/kg, rat
Lithium carbonate	Not available.	Inhalation >2.17 mg/L, rat	Oral 525 mg/kg, rat

Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)	
Not available.	527 mg/kg, rat	Not available.	
Ingredient		Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*	
Silica, crystalline, quartz		G-A2, I-1, N-1, CP65	
Cement, alumina, chemicals		Not listed.	
Portland cement		G-A4	
Fiberglass		G-A4, I-3	
Calcium hydroxide		Not listed.	
Lithium carbonate		CP65	

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation:	Causes skin irritation. May cause burns in the presence of moisture.	
Serious Eye Damage/Irritation:	Causes serious eye damage. May cause burns in the presence of moisture.	
Respiratory Sensitization:	Based on available data, the classification criteria are not met.	
Skin Sensitization:	May cause an allergic skin reaction.	
STOT-Single Exposure:	Based on available data, the classification criteria are not met.	
Chronic Health Effects:	Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.	
Carcinogenicity:	May cause cancer.	
Germ Cell Mutagenicity:	This product is not classified as a mutagen.	
Reproductive Toxicity:		
Developmental:	May damage the unborn child.	
Teratogen	icity: Not hazardous by WHMIS/OSHA criteria.	
Embryotox	icity: Not hazardous by WHMIS/OSHA criteria.	
Fertility:	May damage fertility.	
STOT-Repeated Exposure:	Causes damage to organs through prolonged or repeated exposure.	
Aspiration Hazard:	Based on available data, the classification criteria are not met.	
Toxicologically Synergistic Materials:	Not available.	
Other Information:	Not available.	

Section 12: ECOLOGICAL INFORMATION

Acute/Chronic Toxicity:	No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.		
12.2 PERSISTENCE AND DEGR	ADABILITY		
Not available.			
12.3 BIOACCUMULATIVE POTE	NTIAL		
Bioaccumulation:	Not available.		
12.4 MOBILITY IN SOIL			
Not available.			
12.5 OTHER ADVERSE EFFECT	S		
Not available.			
Se	ction 13: DISPOSAL CONSIDERA	FIONS	
13.1 WASTE TREATMENT METH	IODS		
Disposal Method:		This material must be disposed of in accordance with a local, state, provincial, and federal regulations.	
Other disposal recommendation	ons: Not available.		
S	ection 14: TRANSPORT INFORMA	TION	
14.1 UN NUMBER			
DOT	TDG	NOM-004-SCT2-1994	
Not regulated.	Not regulated.	Not regulated.	
14.2 UN PROPER SHIPPING NA	ME		
DOT	TDG	NOM-004-SCT2-1994	
Not applicable.	Not applicable.	Not applicable.	
14.3 TRANSPORT HAZARD CLA	SS (ES)		
DOT	TDG	NOM-004-SCT2-1994	
Not applicable.	Not applicable.	Not applicable.	
14.4 PACKING GROUP			
DOT	TDG	NOM-004-SCT2-1994	
	Not applicable.	Not applicable.	
Not applicable.	ns.		
Not applicable. 14.5 ENVIRONMENTAL HAZARI			

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICLA

Canadian: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Mexico: MSDS prepared pursuant to NOM-018-STPS-2000.

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (Ibs.)	CERCLA RQ (lbs.)	Section 313
Silica, crystalline, quartz	Not listed.	Not listed.	Not listed.	Not listed.
Cement, alumina, chemicals	Not listed.	Not listed.	Not listed.	Not listed.
Portland cement	Not listed.	Not listed.	Not listed.	Not listed.
Fiberglass	Not listed.	Not listed.	Not listed.	Not listed.
Calcium hydroxide	Not listed.	Not listed.	Not listed.	Not listed.
Lithium carbonate	Not listed.	Not listed.	Not listed.	313

State Regulations

California Proposition 65:

This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories

Ingredient	Canada DSL/NDSL	USA TSCA	
	DSL/NDSL	ICOA	
Silica, crystalline, quartz	DSL	Yes.	
Cement, alumina, chemicals	DSL	Yes.	
Portland cement	DSL	Yes.	
Fiberglass	DSL	Yes.	
Calcium hydroxide	DSL	Yes.	
Lithium carbonate	DSL	Yes.	
NFPA - Natior	nal Fire Protection Association:		
Health:		3	
Fire:		1	
Reactivity:		0	
HMIS - Hazardou	s Materials Identification System	m	
Health:		3*	
Fire:		1	
Reactivity:		0	



Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

Class D2A – Carcinogenicity Class D2A - Chronic Toxic Effects Class E - Corrosive Material

WHMIS Hazard Symbols:



Mexico Classification:



Blue = Health	Red = Flammability Yellow = Reactivity White = Special		
Hazard Rating	: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme		
SOURCE AGE	NCY CARCINOGEN CLASSIFICATIONS:		
CP65	California Proposition 65		
OSHA (O)	Occupational Safety and Health Administration.		
ACGIH (G)	 American Conference of Governmental Industrial Hygienists. A1 - Confirmed human carcinogen. A2 - Suspected human carcinogen. A3 - Animal carcinogen. A4 - Not classifiable as a human carcinogen. A5 - Not suspected as a human carcinogen. 		
IARC (I)	 International Agency for Research on Cancer. 1 - The agent (mixture) is carcinogenic to humans. 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals. 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals. 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans. 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans. 		
NTP (N)	National Toxicology Program. 1 - Known to be carcinogens. 2 - Reasonably anticipated to be carcinogens.		
Section 16: OTHER INFORMATION			
Date of Preparation: December 21, 2012			

Date of Preparation:	December 21, 2012
Expiry Date:	December 21, 2015
Version:	1.0
Revision Date:	December 21, 2012



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

End of Safety Data Sheet